



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30322006-001

Harvest/Lot ID: BSC1423

Batch#: BSC1423

Cultivation Facility:

Processing Facility:

Distributor Facility:

Source Facility:

Seed to Sale# N/A

Batch Date: N/A

Sample Size Received: 100 units

Total Amount: N/A

Retail Product Size: 15.5 gram

Ordered : 03/22/23

Sampled : 03/22/23

Completed: 03/25/23

Sampling Method: SOP.T.20.010.FL

Mar 25, 2023 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
ND

Total THC/Gummy : 0 mg



Total CBD
0.452%

Total CBD/Gummy : 70.06 mg



Total Cannabinoids
0.453%

Total Cannabinoids/Gummy : 70.215 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	0.452	ND	ND	ND	ND	ND	ND	0.001	ND
mg/unit	ND	ND	4.52	ND	ND	ND	ND	ND	ND	0.01	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3112, 1665, 585, 1440

Weight:
15.5262g

Extraction date:
03/23/23 12:55:11

Extracted by:
1665,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA057734POT
Instrument Used : DA-LC-007
Running on : 03/23/23 15:59:07

Reviewed On : 03/24/23 09:17:04
Batch Date : 03/23/23 08:43:38

Dilution : 40
Reagent : 032323.R05; 071222.01; 032123.R02
Consumables : 250350; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA30322006-001
Harvest/Lot ID: BSC1423

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Batch# : BSC1423
Sampled : 03/22/23
Ordered : 03/22/23

Sample Size Received : 100 units
Total Amount : N/A
Completed : 03/25/23 Expires: 03/25/24
Sample Method : SOP Client Method

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	1.1391g	03/23/23 15:55:30	585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)				Reviewed On : 03/25/23 13:10:06	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057775PES				Batch Date : 03/23/23 11:03:07	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Running on : 03/23/23 16:43:22					
FENHEXAMID	0.01	ppm	3	PASS	ND	Dilution : 10					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R01; 032023.R03; 032023.R08; 032023.R04; 032123.R01; 032223.R01; 040521.11					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Consumables : 6697075-02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	450, 585, 1440	1.1391g	03/23/23 15:55:30	585		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL				Reviewed On : 03/24/23 11:12:10	
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analytical Batch : DA057777VOL				Batch Date : 03/23/23 11:05:43	
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Instrument Used : DA-GCMS-006					
MALATHION	0.01	ppm	2	PASS	ND	Running on : 03/23/23 17:19:48					
METALAXYL	0.01	ppm	3	PASS	ND	Dilution : 10					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R08; 040521.11; 030923.R23; 030923.R24					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.5	PASS	ND						



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30322006-001
Harvest/Lot ID: BSC1423

Batch# : BSC1423
Sampled : 03/22/23
Ordered : 03/22/23

Sample Size Received : 100 units
Total Amount : N/A
Completed : 03/25/23 Expires: 03/25/24
Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.029g	Extraction date: 03/24/23 10:54:37	Extracted by: 850
--------------------------------	-------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA057790SOL Instrument Used : DA-GCMS-003 Running on : 03/24/23 07:21:24	Reviewed On : 03/24/23 17:02:45 Batch Date : 03/23/23 16:57:56
--	---

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30322006-001

Harvest/Lot ID: BSC1423

Batch# : BSC1423

Sampled : 03/22/23

Ordered : 03/22/23

Sample Size Received : 100 units

Total Amount : N/A

Completed : 03/25/23 Expires: 03/25/24

Sample Method : SOP Client Method

Page 4 of 5

	Microbial	PASSED
	Mycotoxins	PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 585, 1440	Weight: 0.8661g	Extraction date: 03/23/23 11:33:50	Extracted by: 3390		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 03/24/23 15:46:28		
Analytical Batch : DA057732MIC			Batch Date : 03/23/23 08:11:53		
Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254					
Running on : 03/23/23 12:41:28					
Dilution : N/A					
Reagent : 011223.40; 031423.R29; 092122.07					
Consumables : 7558002051					
Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2102g	Extraction date: 03/23/23 11:28:31	Extracted by: 3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL			Reviewed On : 03/24/23 09:46:08		
Analytical Batch : DA057739HEA			Batch Date : 03/23/23 09:20:23		
Instrument Used : DA-ICPMS-003					
Running on : N/A					
Dilution : 50					
Reagent : 031423.R28; 031423.R18; 031723.R22; 031523.R45; 031723.R20; 031723.R21; 030123.R46; 022323.R22; 020123.02					
Consumables : 179436; 210508058; 12607-302CC-302					
Pipette : DA-061; DA-216					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 1.1391g	Extraction date: 03/23/23 15:55:30	Extracted by: 585		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA057776MYC					
Instrument Used : N/A					
Running on : 03/23/23 16:43:53					
Dilution : 10					
Reagent : 032023.R01; 032023.R03; 032023.R08; 032023.R04; 032123.R01; 032223.R01; 040521.11					
Consumables : 6697075-02					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2102g	Extraction date: 03/23/23 11:28:31	Extracted by: 3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA057739HEA					
Instrument Used : DA-ICPMS-003					
Running on : N/A					
Dilution : 50					
Reagent : 031423.R28; 031423.R18; 031723.R22; 031523.R45; 031723.R20; 031723.R21; 030123.R46; 022323.R22; 020123.02					
Consumables : 179436; 210508058; 12607-302CC-302					
Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30322006-001
Harvest/Lot ID: BSC1423
Batch# : BSC1423
Sampled : 03/22/23
Ordered : 03/22/23

Sample Size Received : 100 units
Total Amount : N/A
Completed : 03/25/23 Expires: 03/25/24
Sample Method : SOP Client Method

Page 5 of 5

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090	Reviewed On : 03/24/23 16:26:07
Analytical Batch : DA057854FIL	Batch Date : 03/24/23 16:16:26
Instrument Used : Filth/Foreign Material Microscope	
Running on : 03/24/23 16:23:08	

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.