



# Certificate of Analysis

## COMPLIANCE FOR RETAIL


Sample: DA21025006-001  
Harvest/Lot ID: FSMA4422  
Batch#: FSMA4422  
Seed to Sale# N/A  
Batch Date: N/A  
Sample Size Received: 15 ml  
Total Batch Size: N/A  
Retail Product Size: 30 ml  
Ordered : 10/24/22  
Sampled : 10/24/22  
Completed: 10/28/22  
Sampling Method: SOP.T.20.010.FL


Oct 28, 2022 | HIGH ROLLER PRIVATE LABEL LLC  
4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US





**PASSED**  
Page 1 of 5


PRODUCT IMAGE SAFETY RESULTS MISC.





  
Pesticides  
**PASSED**


  
Heavy Metals  
**PASSED**


  
Microbials  
**PASSED**


  
Mycotoxins  
**PASSED**

  
Residuals Solvents  
**PASSED**


  
Filtration  
**PASSED**

  
Water Activity  
NOT TESTED

  
Moisture  
NOT TESTED

  
Terpenes  
NOT TESTED

**Cannabinoid** **PASSED**



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	3.334	ND	ND	ND	ND	ND	ND	0.02	ND
mg/ml	ND	ND	31.339	ND	ND	ND	ND	ND	ND	0.188	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by: 3404, 1665, 53      Weight: 2.9481g      Extraction date: 10/25/22 12:12:11      Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031      Reviewed On : 10/26/22 10:12:45  
Analytical Batch : DA051501POT      Batch Date : 10/25/22 09:46:34  
Instrument Used : DA-LC-007  
Running on : 10/25/22 12:14:54

Dilution : 40  
Reagent : 100622.36; 102422.R19; 030322.03; 070121.27; 102422.R18  
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA21025006-001

Harvest/Lot ID: FSMA4422

Batch# : FSMA4422

Sampled : 10/24/22

Ordered : 10/24/22

Sample Size Received : 15 ml

Total Batch Size : N/A

Completed : 10/28/22 Expires: 10/28/23

Sample Method : SOP Client Method

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Page 2 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
<b>TOTAL CONTAMINANT LOAD (PESTICIDES)</b>	0.01	ppm	30	PASS	ND	<b>OXAMYL</b>	0.01	ppm	0.5	PASS	ND
<b>TOTAL DIMETHOMORPH</b>	0.01	ppm	3	PASS	ND	<b>PACLOBUTRAZOL</b>	0.01	ppm	0.1	PASS	ND
<b>TOTAL PERMETHRIN</b>	0.01	ppm	1	PASS	ND	<b>PHOSMET</b>	0.01	ppm	0.2	PASS	ND
<b>TOTAL PYRETHRINS</b>	0.01	ppm	1	PASS	ND	<b>PIPERONYL BUTOXIDE</b>	0.01	ppm	3	PASS	ND
<b>TOTAL SPINETORAM</b>	0.01	ppm	3	PASS	ND	<b>PRALLETHRIN</b>	0.01	ppm	0.4	PASS	ND
<b>TOTAL SPINOSAD</b>	0.01	ppm	3	PASS	ND	<b>PROPICONAZOLE</b>	0.01	ppm	1	PASS	ND
<b>ABAMECTIN B1A</b>	0.01	ppm	0.3	PASS	ND	<b>PROPOXUR</b>	0.01	ppm	0.1	PASS	ND
<b>ACEPHATE</b>	0.01	ppm	3	PASS	ND	<b>PYRIDABEN</b>	0.01	ppm	3	PASS	ND
<b>ACEQUINOCYL</b>	0.01	ppm	2	PASS	ND	<b>SPIROMESIFEN</b>	0.01	ppm	3	PASS	ND
<b>ACETAMIPRID</b>	0.01	ppm	3	PASS	ND	<b>SPIROTETRAMAT</b>	0.01	ppm	3	PASS	ND
<b>ALDICARB</b>	0.01	ppm	0.1	PASS	ND	<b>SPIROXAMINE</b>	0.01	ppm	0.1	PASS	ND
<b>AZOXYSTROBIN</b>	0.01	ppm	3	PASS	ND	<b>TEBUCONAZOLE</b>	0.01	ppm	1	PASS	ND
<b>BIFENAZATE</b>	0.01	ppm	3	PASS	ND	<b>THIACLOPRID</b>	0.01	ppm	0.1	PASS	ND
<b>BIFENTHRIN</b>	0.01	ppm	0.5	PASS	ND	<b>THIAMETHOXAM</b>	0.01	ppm	1	PASS	ND
<b>BOSCALID</b>	0.01	ppm	3	PASS	ND	<b>TRIFLOXYSTROBIN</b>	0.01	ppm	3	PASS	ND
<b>CARBARYL</b>	0.01	ppm	0.5	PASS	ND	<b>PENTACHLORONITROBENZENE (PCNB) *</b>	0.01	PPM	0.2	PASS	ND
<b>CARBOFURAN</b>	0.01	ppm	0.1	PASS	ND	<b>PARATHION-METHYL *</b>	0.01	PPM	0.1	PASS	ND
<b>CHLORANTRANILIPROLE</b>	0.01	ppm	3	PASS	ND	<b>CAPTAN *</b>	0.07	PPM	3	PASS	ND
<b>CHLORMEQUAT CHLORIDE</b>	0.01	ppm	3	PASS	ND	<b>CHLORDANE *</b>	0.01	PPM	0.1	PASS	ND
<b>CHLORPYRIFOS</b>	0.01	ppm	0.1	PASS	ND	<b>CHLORFENAPYR *</b>	0.01	PPM	0.1	PASS	ND
<b>CLOFENTEZINE</b>	0.01	ppm	0.5	PASS	ND	<b>CYFLUTHRIN *</b>	0.05	PPM	1	PASS	ND
<b>CUMAPHOS</b>	0.01	ppm	0.1	PASS	ND	<b>CYPERMETHRIN *</b>	0.05	PPM	1	PASS	ND
<b>DAMINOZIDE</b>	0.01	ppm	0.1	PASS	ND						
<b>DIAZINON</b>	0.01	ppm	3	PASS	ND	<b>Analyzed by:</b>	<b>Weight:</b>	<b>Extraction date:</b>	<b>Extracted by:</b>		
<b>DICHLORVOS</b>	0.01	ppm	0.1	PASS	ND	3404, 585, 3379	1.0522g	10/25/22 15:17:46	3379		
<b>DIMETHOATE</b>	0.01	ppm	0.1	PASS	ND						
<b>ETHOPROPHOS</b>	0.01	ppm	0.1	PASS	ND	<b>Analysis Method :</b>					
<b>ETOFENPROX</b>	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL, SOP.T.40.151.FL					
<b>ETOXAZOLE</b>	0.01	ppm	1.5	PASS	ND	<b>Analytical Batch :</b>					
<b>FENHEXAMID</b>	0.01	ppm	3	PASS	ND	DA051512PES					
<b>FENOXICARB</b>	0.01	ppm	0.1	PASS	ND	<b>Instrument Used :</b>					
<b>FENPYROXIMATE</b>	0.01	ppm	2	PASS	ND	DA-LCMS-003 (PES)					
<b>FIPRONIL</b>	0.01	ppm	0.1	PASS	ND	<b>Running on :</b>					
<b>FLONICAMID</b>	0.01	ppm	2	PASS	ND	10/25/22 15:12:12					
<b>FLUDIOXONIL</b>	0.01	ppm	3	PASS	ND	<b>Dilution :</b>					
<b>HEXYTHIAZOX</b>	0.01	ppm	2	PASS	ND	250					
<b>IMAZALIL</b>	0.01	ppm	0.1	PASS	ND	<b>Reagent :</b>					
<b>IMIDACLOPRID</b>	0.01	ppm	1	PASS	ND	102422.R20; 102422.R22; 101122.R30; 101922.R01; 092820.59					
<b>KRESOXIM-METHYL</b>	0.01	ppm	1	PASS	ND	<b>Consumables :</b>					
<b>MALATHION</b>	0.01	ppm	2	PASS	ND	6676024-02					
<b>METALAXYL</b>	0.01	ppm	3	PASS	ND	<b>Pipette :</b>					
<b>METHIOCARB</b>	0.01	ppm	0.1	PASS	ND	DA-093; DA-094; DA-219					
<b>METHOMYL</b>	0.01	ppm	0.1	PASS	ND						
<b>MEVINPHOS</b>	0.01	ppm	0.1	PASS	ND	<b>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					
<b>MYCLOBUTANIL</b>	0.01	ppm	3	PASS	ND	<b>Analyzed by:</b>	<b>Weight:</b>	<b>Extraction date:</b>	<b>Extracted by:</b>		
<b>NALED</b>	0.01	ppm	0.5	PASS	ND	3404, 450, 53	1.0522g	N/A	N/A		
						<b>Analysis Method :</b>					
						SOP.T.30.060, SOP.T.40.060					
						<b>Analytical Batch :</b>					
						DA051515VOL					
						<b>Instrument Used :</b>					
						DA-GCMS-006					
						<b>Running on :</b>					
						N/A					
						<b>Dilution :</b>					
						25					
						<b>Reagent :</b>					
						102422.R22; 092820.59; 101922.R76; 101922.R75					
						<b>Consumables :</b>					
						6676024-02; 14725401					
						<b>Pipette :</b>					
						DA-080; DA-146					
						<b>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA21025006-001

Harvest/Lot ID: FSMA4422

Batch# : FSMA4422

Sampled : 10/24/22

Ordered : 10/24/22

Sample Size Received : 15 ml

Total Batch Size : N/A

Completed : 10/28/22 Expires: 10/28/23

Sample Method : SOP Client Method

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: N/A	Weight: N/A	Extraction date: N/A	Extracted by: N/A
---------------------	----------------	-------------------------	----------------------

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA051637SOL  
Instrument Used : DA-GCMS-003  
Running on : 10/28/22 11:55:23

Reviewed On : 10/28/22 12:17:08  
Batch Date : 10/27/22 15:15:40

Dilution : 1  
Reagent : 030420.09  
Consumables : R2017.167; KF140  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA21025006-001  
Harvest/Lot ID: FSMA4422  
Batch# : FSMA4422  
Sampled : 10/24/22  
Ordered : 10/24/22

Sample Size Received : 15 ml  
Total Batch Size : N/A  
Completed : 10/28/22 Expires: 10/28/23  
Sample Method : SOP Client Method

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
LISTERIA MONOCYTOGENES			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3404, 3621, 53      Weight: 1.1203g      Extraction date: 10/25/22 12:02:04      Extracted by: 3621  
 Analysis Method : SOP.T.40.043      Reviewed On : 10/26/22 16:13:14  
 Analytical Batch : DA051531MIC      Batch Date : 10/25/22 11:40:20  
 Instrument Used : PathogenDx Scanner DA-111  
 Running on : N/A

Dilution : N/A  
 Reagent : 091422.19; 052422.04  
 Consumables : N/A  
 Pipette : N/A

Analyzed by: 3404, 3390, 3621, 585      Weight: 1.1203g      Extraction date: 10/25/22 13:03:51      Extracted by: 3390  
 Analysis Method : SOP.T.40.208, SOP.T.40.209.FL      Reviewed On : 10/27/22 12:21:35  
 Analytical Batch : DA051536TYM      Batch Date : 10/25/22 12:06:17  
 Instrument Used : Incubator (25-27C) DA-097  
 Running on : 10/25/22 12:51:47

Dilution : N/A  
 Reagent : 071422.18  
 Consumables : 004103  
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3404, 3379, 585      Weight: 1.0522g      Extraction date: N/A      Extracted by: N/A  
 Analysis Method : SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL  
 Analytical Batch : DA051514MYC      Reviewed On : 10/26/22 15:00:56  
 Instrument Used : DA-LCMS-003 (MYC)      Batch Date : 10/25/22 10:07:48  
 Running on : 10/25/22 15:12:27

Dilution : 250  
 Reagent : 102422.R20; 102422.R22; 101122.R30; 101922.R01; 092820.59  
 Consumables : 6676024-02  
 Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
LEAD	0.05	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3

Analyzed by: 3404, 3619, 1022, 53      Weight: 0.4348g      Extraction date: 10/25/22 12:18:53      Extracted by: 3619  
 Analysis Method : SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL  
 Analytical Batch : DA051525HEA      Reviewed On : 10/26/22 08:09:25  
 Instrument Used : DA-ICPMS-003      Batch Date : 10/25/22 10:21:00  
 Running on : 10/25/22 14:49:26

Dilution : 50  
 Reagent : 102122.R23; 080222.R36; 102122.R17; 102522.R01; 102122.R15; 102122.R16; 101722.R39; 101722.R38; 100622.35  
 Consumables : 179436; 210508058; 210803-059  
 Pipette : DA-061; DA-106; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA21025006-001  
Harvest/Lot ID: FSMA4422  
Batch# : FSMA4422  
Sampled : 10/24/22  
Ordered : 10/24/22

Sample Size Received : 15 ml  
Total Batch Size : N/A  
Completed : 10/28/22 Expires: 10/28/23  
Sample Method : SOP Client Method

Page 5 of 5

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 3404, 1879	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.30.074, SOP.T.40.074  
Analytical Batch : DA051537FIL  
Instrument Used : Filth/Foreign Material Microscope  
Running on : 10/25/22 21:01:37  
Reviewed On : 10/25/22 21:05:07  
Batch Date : 10/25/22 12:32:46

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.